Focus Products 20.1



MCR Safety 18-ga CUT PRO®

MERSI

92718PUXL

Cut





92718PU Sizes: XS-XXL
18-Gauge HyperMax[™] engineered shell
Polyurethane coated palm and fingers



MCR Safety CUT PRO®



The MCR Safety 18 Gauge Cut Protection Series provides the Industrial Athlete with a glove that performs at the highest level while offering extreme dexterity to execute task with precision.



HyperMax[™] synthetic yarns are engineered to protect against cuts and lacerations ranging from ANSI Cut Level A2 up to A9. Excellent abrasion properties and high levels of comfort are key to the success of this fiber.



9278NF Sizes: XS-XXL

- 18-Gauge HyperMax[™] engineered shell
- Foam Nitrile coated palm and fingers
- Reinforced thumb crotch





92738PU Sizes: XS-XXL

- 18-Gauge HyperMax[™] engineered shell
- Polyurethane coated palm and fingers

Touch screen friendly



92718NF Sizes: XS-XXL

- 18-Gauge HyperMax[™] engineered shell
 - Foam Nitrile coated palm and fingers

MCR Safety 15-ga CUT PRO®





92715NF Sizes: XS-XXL • 15-Gauge HyperMax[™] engineered shell • Foam Nitrile coated palm and fingers

Reinforced thumb crotch

Touch screen friendly





15 HYPERMAX

92745PU Sizes: S-XXL

- 15-Gauge HyperMax[™] engineered shell
- Polyurethane coated palm and fingers
- Touch screen friendly



- 92773 Sizes: XS-XXL
- 15-Gauge HyperMax[™] engineered shell
 - Polyurethane coated palm and fingers





- 15-Gauge HyperMax[™] engineered shell
 Polyurethane coated palm and fingers
- Touch screen friendly

- 15-Gauge HyperMax[™]/Steel engineered shell
- Nitrile coated palm and fingers
- Reinforced thumb crotch

MCR Safety 13-ga CUT PRO®





Historia

ุลเย

abman

Cut A6



92793PU Sizes: XS-XXL
13-Gauge HyperMax[™] engineered shell
Polyurethane coated palm and fingers
Touch screen friendly





92723PU Sizes: XS-XXL • 13-Gauge HyperMax[™] engineered shell · Polyurethane coated palm and fingers



92733PU Sizes: S-XXL

- 13-Gauge HyperMax[™] engineered shell
- Polyurethane coated palm and fingers



92752 Sizes: S-XXL • 13-Gauge HyperMax[™] engineered shell

• Polyurethane coated palm and fingers

92753PU Sizes: S-XXL

- 13-Gauge HyperMax[™] engineered shell
 Polyurethane coated palm and fingers
- Touch Screen Friendly
- · Cut Resistance with good dexterity

MCR Safety 13-ga CUT PRO®





92763PU Sizes: S-XXL
13-Gauge HyperMax[™] engineered shell
Polyurethane coated palm and fingers





92743PU Sizes: S-XL

- 13-Gauge HyperMax[™] engineered shell
- Polyurethane coated palm and fingers
- Touch screen friendly



- 92723NF Sizes: S-XXL
- 13-Gauge HyperMax[™] engineered shell
- Foam Nitrile coated palm and fingers
- Component materials comply with FDA regulations for food contact



92723HV Sizes: S-XXL

PUN 3

B

6

A2

- 13-Gauge HyperMax[™] engineered shell
- Foam Nitrile coated palm and fingers
- Longer knit wrist for added protection
- · Hi-visibility lime makes the wearer more visible

9273HV Sizes: XS-XXL

- 13-Gauge HyperMax[™] engineered shell
- Foam Nitrile coated palm and fingers
- · Hi-visibility lime makes the wearer more visible

MCR Safety 13 and 10-ga CUT PRO®





92743BP Sizes: S-XXL • 13-Gauge HyperMax[™] engineered shell • Bi-Polymer coated palm and fingers





92720NF Sizes: S-XXL

- 10-Gauge HyperMax[™]/Steel engineered shell
- Foam Nitrile coated palm and fingers



A

- 92720HV Sizes: S-XXL
- 10-Gauge HyperMax[™]/Steel engineered shell
- Foam Nitrile coated palm and fingers
- Hi-visibility lime makes the wearer more visible





92753 Sizes: S-XXL

- 13-Gauge HyperMax[™] engineered shell
- 1st Flat Nitrile over the knuckle coating
- · 2nd Foam Nitrile coated palm and fingers

13 GAUGE ABR PUN 5 **A**4

92783 Sizes: XS-XXL

- 13-Gauge HyperMax[™] engineered shell
- 1st Flat Nitrile 3/4 coating
- 2nd Foam Nitrile coated palm and fingers

ANSI A9 Cut Protection

1

I



S





Overall Features:

- ANSI A9 Cut Protection extreme slice resistant
- ANSI Puncture Level 3 prevention of penetrating hazards
- ANSI Contact Heat Level 5 Up to 608°F thermal protection

Applications:

- Heavy Material Fabrication
- Blade Handling
- High-Risk contact with glass, wire, metal, wood

93719MK Sleeve

- 19" length extended arm protection
- Elbow gusset improved range of motion • Spandex hand cuff – for stationary protection
- to allow use with gloves
- Gusset clip firm attachment to undergarment





93709MK Sleeve

- 9" length forearm protection
- Spandex hand cuff for stationary protection to allow use with gloves
- Ambidextrous

93130MK Apron

- 30" x 24" torso protection
- Nylon/Neoprene neck strap all day comfort
- Nylon waist strap

Mechanics Impact Protection

CUT AS

-

-





PD2911 Predator Sizes: M-XXL
HyperMax[™] engineered palm liner
MAXGrid[™] reinforced palm for extreme grip conditions
Patented Tire Tread TPR metacarpal protection







PD2910 Predator Sizes: M-XXL

- HyperMax[™] engineered palm liner
- D3O® padded palm dissipates impact and vibration
- Patented Tire Tread TPR metacarpal protection

Features and Benefits

The D3O® high-shock absorbing properties out-performs similar materials weighing more; allowing for full flexibility and range of motion. Testing endorses:

- 54% better Back-of- hand impact dissipation and protection
- 46% better Finger impact dissipation and protection
- Tests show that with repeated impacts, D30[®] maintains up to 77% of its impact protection integrity for continued protection.

Patented D3O® material stiffens upon an impact to dissipate the impact energy and reduce force transmitted to the wearer. Immediately returning to a soft flexible state after impact. The soft and flexible material maintains the dexterity you need yet absorbs and dissipates impact energy like no other product on the market.

We're the first to offer D3O[®] technology protection in the palm and back of hand in multitask gloves. As one user told us:

"I need padding all around due to working around and holding iron weighing anywhere from 500 to a 1,000 pounds".

Well, that user is just one of many taking advantage of D3O[®] Impact Protection!



FF2931 Sizes: M-XXL

- Patented D3O[®] metacarpal protection and padded palm
- MAXGrid[™] reinforced palm for extreme grip conditions
- HyperMax[™] engineered palm liner



FF2930 Sizes: M-XXL

- Patented D3O[®] metacarpal protection and padded palm
- MAXGrid[™] reinforced palm for extra grip conditions

UltraTech® Impact Level I Protection





UT1956 UltraTech[®] Sizes: S-XXL • 13-Gauge CUT PRO[®] HyperMax[™]/Acrylic winter shell

• Sandy Foam Nitrile coated palm and fingers

• TPR metacarpal protection

Reinforced thumb crotch

· Tailored for cold conditions





UT1950 UltraTech® Sizes: S-XXL

- 13-Gauge Nylon shell
- Sandy Foam Nitrile coated palm and fingers
- TPR metacarpal protection





UT1951 UltraTech[®] Sizes: S-XXL

- 13-Gauge HyperMax[™] engineered shell
- · Crinkle Latex coated palm and fingers
- TPR metacarpal protection · Reinforced thumb crotch
- Padded Palm



- UT1952 UltraTech[®] Sizes: S-XXL 13-Gauge HyperMax[™] engineered shell
- · Sandy Foam Nitrile coated palm and fingers
- TPR metacarpal protection
- · Reinforced thumb crotch





- UT1953 UltraTech[®] Sizes: S-XXL 13-Gauge HyperMax[™] engineered shell • Sandy Foam Nitrile coated palm and fingers
- TPR metacarpal protection
- · Reinforced thumb crotch
- Padded Palm



UT1954 UltraTech® Sizes: S-XXL

- 13-Gauge HyperMax[™] engineered shell
- · Sandy Foam Nitrile coated palm and fingers
- TPR metacarpal protection



- UT1955 UltraTech® Sizes: S-XXL
- 13-Gauge HyperMax[™] engineered shell
- · Sandy Foam Nitrile coated palm and fingers
- TPR metacarpal protection
- · Reinforced thumb crotch
- Palm Padded

Impact Level I





Features and Benefits

Premium goatskin leather

- Double stitched with DuPont[™] Kevlar[®] thread
- ANSI Impact Level 1 TPR metacarpal protection



OUPONTE Kevlar ABRI PUNIV IMPACT HEAT сит **А4**

- A. MU3634K Sizes: M-XXL
- Lined with DuPont[™] Kevlar[®]
- Double layer of goatskin in palm and fingers
- Shirred elastic around entire wrist
- Wing style thumb



- 36336K Sizes: M-XL
- Lined with DuPont[™] Kevlar[®]
- Oil Block Technology
- Padded Palm
- Keystone thumb

OUPONTE Kevlar



36336 Sizes: M-XL

- Oil Block Technology
- Padded Palm
- · Keystone thumb

Impact Level I





Features and Benefits

MCR Safety strives to create the most comfortable and durable leather products on the market. The 36136 Series is made with goatskin that provides extreme comfort and dexterity. This supple leather contains natural lanolin that helps create a very soft feel. Characteristics include strongest tensile strength and excellent tactile sensitivity. Best combination of flexibility and comfort. The 36136 Series features select grade grain goatskin leather, shirred elastic back, and keystone thumb. The TPR on the back of the glove will assist with impact and achieves a Level 1 ANSI impact rating.

- · Premium Grain Goatskin for all day comfort
- TPR metacarpal protection
- · ANSI Impact Level 1 TPR on back of hand, fingers and thumb
- Shirred elastic back
- Keystone Thumb



36136 Sizes: M-XL · Unlined for excellent sense of touch





- DuPont[™] Kevlar[®] liner offering 360° cut protection
- Sewn with DuPont[™] Kevlar[®] thread
- Double Palm padding

Impact Level I

IIID



ME

Sec.



48406 Series Welders

This MCR Safety Welding option is made of premium grain goatskin. This supple leather contains natural lanolin that helps create a very soft feel. Characteristics include strongest tensile strength and excellent tactile sensitivity. Best combination of flexibility and comfort. The 48406 Series are Mig/Tig gloves with a 5" russet split cowskin cuff for additional safety. Sewn with DuPont[™] Kevlar[®], has a Keystone thumb and a self-hem sewn cuff. The TPR back offers excellent impact resistance on the fingers and back of the hand.

- Premium grain goatskin leather
- Sewn with DuPont[™] Kevlar[®] thread
- ANSI Impact Level 1 TPR on back of hand, fingers and thumb
- 13" total length including a 5" brown split cow leather cuff
- Keystone thumb
- ANSI Contact Heat, 3 Less than 392°F





Taskfit Meeimies



ALSINS NO



962 Sizes: S-XXL

• Water resistant Goat Leather palm

- Steel cable/rope channel reinforced with DuPont[™] Kevlar[®] and silicone tire tread
- Reinforced MAXGrid[™] finger tips
 Sewn with DuPont[™] Kevlar[®] thread

Close up of cable/rope channel reinforced with DuPont[™] Kevlar[®] and silicone tire tread



MCR SAFETY

- Super Stretch Knuckle Region
- Nylon/Spandex Back
 - Reinforced Index Finger and Thumb Crotch
- Pull Loop for Snug Donning
- Adjustable Wrist Closure
 - Machine Washable



961 Sizes: S-XXL • Premium Grain Honey Gold Goatskin leather palm

960 Sizes: S-XXL Synthetic leather palm • Touch screen friendly

ABR





963 Sizes: S-XXL

- Synthetic leather palm
- PVC grip design on index finger and thumb

• D30[®] padded palm

- ICR SAFE D3(4 964 Sizes: S-XXL
- Premium Grain Honey Gold Goatskin leather palm
- D30[®] padded palm

Grippaz[™] Technology





Vacuum Suction gives immediate and effective grip against wet and greasy surfaces

Patented Grippaz™ Suction Texture



Extreme Toughness with Extreme Dexterity

Grippaz[™] powder free nitrile single-use gloves feature a patented suction grip design which is suitable for most wet and greasy surfaces. The embossed internal grip provides extra traction which keeps the gloves from slipping against the skin. The lattice effect of the grip drastically increases the overall tensile strength which increases the overall durability. Every Grippaz[™] glove is designed with the wearer in mind. Each thumb contains the fish scale pattern as found on hand specific coated gloves which truly provides a firm grip when wearing Grippaz[™] single use gloves.





ITRISHIEL

6014B Sizes: S-XXL

- Black, 4.5 mil thickness, 9.5" length
- 100 Per box



6016B Sizes: S-XXL • Black, 6 mil thickness, 9.5" length • 100 Per box



60160 Sizes: S-XXL

- Orange, 6 mil thickness, 9.5" length
- 100 Per box





6046G Sizes: S-XXL · Green, 6 mil thickness, 9.5" length • 20 Per bag



6018 Sizes: M-XXL • Blue, 8 mil thickness, 12" length • 50 Per box



6046Y2 Sizes: S-XXL · Yellow, 6 mil thickness, 12" length • 20 Per bag

Swagger[®] SR3











Get your swag on and conquer the next safety hazard with the Swagger[®] SR3 Safety Glasses. Dual lens frame design, athletic bayonet temples, and rated to meet or exceed the ANSI Z87+ high impact standard are the core elements in each SR3 offering. Who doesn't want to look good while they work?

- · Next generation inspired design built for all environments
- Dielectric (no metal parts)
- · Lightweight and balanced frame with zero removable parts
- Available and offered in the next generation UV-AF anti-fog coating
- Rugged polycarbonate lenses filters 99.9% of harmful U.V. rays
- · Meets or exceeds ANSI Z87+ high impact standard
- Applications for use in all industrial work settings, outdoors, on the lake, at the beach, and other places that you enjoy when not working

SR310 Clear Lens, Clear Frame, Aqua Blue Temples Clear and Rester Lens, Clear Frame, Agua Blue Temples **SR310AF** SR322 Gray Lens, Black Frame, Black Temples Gray Mitter Lens, Black Frame, Black Temples SR322AF SR338B Blue Diamond Lens, Crystal Blue Frame, **Crystal Blue Temples** SR349 Indoor/Outdoor Clear Mirror Lens, Clear Frame, **Clear Temples**

Swagger[®] SR4













Swagger® SR4

Get your swag on and conquer the next safety hazard with the Swagger[®] SR4 Safety Glasses. Dual lens frame design and athletic bayonet temples with soft TPR permanently bonded all the way from the temple tips to the nose pads are the core elements in each SR4 offering. Each style meets or exceeds the ANSI Z87+ high impact standard. Who doesn't want to look good while they work?

- Next generation inspired design built for all environments
- Soft TPR extended from temples to nose pads for comfort and grip
- Dielectric (no metal parts)
- Lightweight and balanced frame with zero removable parts
- Rugged polycarbonate lenses filters 99.9% of harmful U.V. rays
- Applications for use in all industrial work settings, outdoors, on the lake, at the beach, and other places that you enjoy when not working

SR410 SR410PF	Clear Lens, Clear Frame and Temples, Gray TPR MAX6™ Clear Lens, Clear Frame and Temples, Gray TPR
SR422 SR422PF	Gray Lens, Black Frame and Black Temples, Gray TPR MAX6™ Gray Lens, Black Frame and Black Temples, Gray TPR
SR438B	Blue Diamond Mirror Lens, Gun Metal Frame and Temples, Blue TPR
SR417BZD	C MAX36™ Black Mirror <i>Polarized</i> Lens, Clear Frame and Temples, Gray TPR
SR44R	Fire Mirror Lens, White Frame and Temples, Red TPR





The states











Swagger® SR5

Get your swag on and conquer the next safety hazard with the Swagger[®] SR5 spoggle safety glasses. The SR5 features a foam lined dual lens frame design and athletic style bayonet temples. The temples are permanently bonded with a soft TPR that extends the entire length of the temples making this a comfortable and easy to wear option. The SR522ZPF has gray polarized lenses coated with MCR Safety's MAX6[™] superior anti-fog coating. Each style can be worn with our SR5STRAP elastic spoggle strap that affixes to each temple, making this option fully adjustable. The Swagger[®] SR5 is dielectric and meets or exceeds the ANSI Z87+ high impact standard. Who doesn't want to look good while they work?

- Next generation inspired design built for all environments
- · Soft TPR extends full length of temples for comfort and grip
- · Foam lined for added protection and comfort
- Wear with SR5STRAP elastic and fully adjustable spoggle strap for goggle seal (sold separately)
- Dielectric (no metal parts)
- · Lightweight and balanced frame with zero removable parts
- Some offerings available with MAX6[™] or UV-AF lens coatings
- Rugged polycarbonate lenses filters 99.9% of harmful U.V. rays
- Meets or exceeds ANSI Z87+ high impact standard
- Applications for use in all industrial work settings, outdoors, on the lake, at the beach, and other places that you enjoy when not working





al Dom

CONSISSION OF



have













Dominator[™] DM3

MCR Safety glasses are designed to provide solution-based eyewear protection. This series is available with MAX3[™] scratch resistant coating which provides three times greater scratch resistance, MAX6[™] anti-fog coating which is proven to provide six times greater fog-resistance and dissipation, or MAX36[™] which provides MAX3[™] and MAX6[™] coatings on the lens. The Dominator[™] DM3 glasses feature co-injected TPR wire core adjustable nose pads and temples for complete adjustability. Available in 4 frame options; Gun Metal/Red TPR, Clear/Blue TPR, Black/Black TPR, or Yellow/Blue TPR. Additionally, it is offered in 4 polarized lens options. Dominate your day with adjustability, protection, and comfort!

- Italian fashion, sport focused design
- Co-injected soft wire core adjustable TPR temples
- · Co-injected wire core independently adjustable nose pads



• Gun Metal Color Frame, Red TPR

DM1310P	○ MAX3 [™] Clear Scratch Resistant Coating
DM1310PF	─ MAX6 [™] Clear Anti-Fog Coating
DM1312P	─ MAX3 [™] Gray Scratch Resistant Coating
DM1312PF	─ MAX6 [™] Gray Anti-Fog Coating
DM1319	─ BossMan [™] Indoor-Outdoor Clear Mirror
DM131R	─ BossMan [™] Fire Mirror
DM131RZ	─ BossMan [™] Fire Mirror, <i>Polarized</i>
DM131RDC	─ MAX36 [™] Fire Mirror

• Clear Frame, Blue TPR

••••••	, =
DM1320PF	○ MAX6 [™] Clear Anti-Fog Coating
DM1322PF	─ MAX6 [™] Gray Anti-Fog Coating
DM1323PF	─ MAX6 [™] Light Blue Anti-Fog Coating
DM1329	─ BossMan [™] Indoor-Outdoor Clear Mirror
DM1328B	SossMan [™] Blue Diamond Mirror
DM1328BZ	SossMan [™] Blue Diamond Mirror, <i>Polarized</i>
DM1328BDC	■ MAX36 [™] Blue Diamond Mirror

• Black Frame, Black TPR

Diack i failie	
DM1330PF	○ MAX6 [™] Clear Anti-Fog Coating
DM1332PF	■ MAX6 [™] Gray Anti-Fog Coating
DM1334PF	─ MAX6 [™] Amber Anti-Fog Coating
DM1337B	SossMan [™] Black Mirror
DM1337BZ	■ BossMan [™] Black Mirror, <i>Polarized</i>
DM1337BDC	MAX36 [™] Black Mirror
DM1337BZDC	■ MAX36 [™] Black Mirror, Polarized

• Yellow Frame, Blue TPR

DM1340PF	─ MAX6 [™] Clear Anti-Fog Coating
DM1348B	■ BossMan [™] Blue Diamond Mirror

DM3 Magnifiers

• Tortoise Frame, Tan	TPR, MAX6 [™] Anti-Fog Coating
\bigcirc Clear Lens	Brown Lens
DM13H10PF +1.0	DM13H10BPF +1.0
DM13H15PF +1.5	DM13H15BPF +1.5
DM13H20PF +2.0	DM13H20BPF +2.0
DM13H25PF +2.5	DM13H25BPF +2.5

Black Carbon Fiber Pattern Frame, Gray TPR
 MAX36[™] Gray, *Polarized* Lens
 DM3H15GZDC +1.5
 DM3H20GZDC +2.0
 DM3H25GZDC +2.5


Checklite CL4



MCR Safety glasses are designed to provide solution-based eyewear protection. The CL4 features premium features at an affordable price! The stylish hollowed-out, lightweight frame allows maximum air flow. The CL4 is great for everyday use or as a new stylish visitor spec. The CL4 also features a unique bayonet temple that includes Earplug Retaining Technology (ERT).

- Premium design at a value price
- Exclusive Duramass[®] scratch resistant coating or Duramass[®] anti-fog coating

Detail of the CL4 unique bayonet temple that includes Earplug Retaining Technology (ERT)



CL400 CL410 CL410AF Checklite CL4 Clear Uncoated Lens Checklite CL4 Clear Lens Checklite CL4 Clear Anti-Fog Lens



Checklite CL4 Gray Lens



CL419



Checklite CL4 Indoor/Outdoor Clear Mirror Lens

Summit Breeze®









THE FIRST OF ITS KIND

IN FLAME-RESISTANT APPAREL TECHNOLOGY



DUAL RATED NFPA 70E CAT 2 & NFPA 2112

DESIGNED TO MAXIMIZE AIR FLOW

IMPROVING CONVECTION AND EVAPORATIVE COOLING

INHALATION INJURY INCREASES THE DEATH RATE

16X*

*SOURCE -NATIONAL BURN REPOSITORY

SUMMIT BREEZE® TECHNOLOGY DIRECTS MOST OF THE OFF-GAS AWAY FROM THE FACE

SEVERELY REDUCING INHALATION INJURY

OEKO-TEX® RATED INSPIRING CONFIDENCE FABRICS

NO FORMALDEHYDE PRESENT IN FIBERS **PATENTED TRIPLE VENT TECHNOLOGY**

REDUCES BODY BURN UP TO 50%* *IN IDENTICAL FABRICS OF A STANDARD DESIGN



FR MESH BACK VENT



UNDERARM VENTS

5.5 OZ RIPSTOP FR INHERENT BLEND

PROVIDING EXTREME MOISTURE WICKING AND ANTI-STATIC PROPERTIES



RIPSTOP REINFORCEMENT

WHEN QUALITY COULD BE THE DIFFERENCE IN LIFE OR DEATH DON'T SETTLE FOR ANYTHING LESS THAN THE BEST

Summit Breeze®

PATENTED Vented FR Protection



FR Vented Back Coverall

Features:

- Ventilated Rear Cape with FR Mesh
- FR Mesh Under Arm Ventilation
- 2 Chest Pockets with Zipper Closure
- Double Stitched
- 2 Front Inset Pockets
- Concealed Hook and Loop Closure Pass-Thru Pocket
- 2 Rear Patch Pockets
- Tool Pocket on Right Leg
- Pencil Pocket in Left Sleeve
- Mesh Gas Monitor Holder
- Standard Design has 1" Reflective Striping Around Arms and Legs
- NFPA 70E and 2112 Compliant
- CAT: 2 8.9cal/cm2



Item # SBC1011

Sizes	Regular	38-64	
	Tall	38-60	





Stand-up Collar Option



Zipped Chest Pocket



Underarm Vents



Mesh Gas Monitor Pocket



Tool Pocket

Coverall Part #	Color	Inherent Blend	100% Cotton	7 oz.	5.5 oz.	Rip-stop	ATPV	1" Reflectivity	3" Triple Trim Reflectivity
SBC1011	Gray	Х			X	Х	8.9 cal/cm2	Х	
SBC1012	Navy	Х			X	Х	8.9 cal/cm2	Х	
SBC1013	Tan	Х			X	Х	8.9 cal/cm2	Х	
SBC1031	Gray	Х			X	Х	8.9 cal/cm2		Х
SBC1032	Navy	Х			X	Х	8.9 cal/cm2		Х
SBC1033	Tan	Х			X	Х	8.9 cal/cm2		Х
SBC2011	Gray		Х	Х			8.7 cal/cm2	Х	
SBC2012	Navy		Х	Х			8.7 cal/cm2	Х	
SBC2013	Tan		Х	Х			8.7 cal/cm2	Х	
SBC2014	Red		Х	Х			8.7 cal/cm2	Х	
SBC2015	Ryl. Blue		Х	Х			8.7 cal/cm2	Х	
SBC2031	Gray		Х	Х			8.7 cal/cm2		Х
SBC2032	Navy		Х	Х			8.7 cal/cm2		Х
SBC2033	Tan		Х	Х			8.7 cal/cm2		Х
SBC2034	Red		Х	Х			8.7 cal/cm2		Х
SBC2035	Ryl. Blue		Х	Х			8.7 cal/cm2		Х





FR Vented Back Button Front Shirt

Features:

- Banded Button Down Collar
- 2 Double Needle Top Stitched Pockets with Flap and Button Closure
- Double Needle Stitching Throughout
- True 2 Piece Front Placket
- 2 Button Cuff
- Ripstop Material
- UL Certified to NFPA 2112



FR Mesh Back Vent

2 Chest Pockets

. .

A



Button-Down Collar



Front Pen Pocket



Sizes Re	egular S-4X Tall M-4X			Doub	le Stitching		
Shirt Part #	Color	Inherent Blend	100% Cotton	7 oz.	5.5oz	Rip-stop	ATPV
SBS1001	Gray	Х			Х	Х	8.9 cal/cm2
SBS1002	Navy	Х			Х	Х	8.9 cal/cm2
SBS1003	Tan	Х			Х	Х	8.9 cal/cm2
SBS2001	Gray		Х	Х			8.7 cal/cm2
SBS2002	Navy		Х	X			8.7 cal/cm2



• CAT: 2 - 8.9cal/cm2











Big Jake 2

Flame resistant PVC/Nomex[®] rainwear, Conforms to ASTM F1891 Standard Specification for Arc and Flame Resistant Rainwear, Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards, NFPA 70E with an Arc Thermal Performance Value (ATPV) of 11 cal/cm2.







BJ238JH Sizes: M-X5

Class 3, Sturdy zipper front with large storm flap, Cape ventilated back with D-Ring access, Two front patch pockets, Adjustable / attached drawstring hood, Adjustable hook and loop wrist. 2" Silver FR Reflective Stripes, Fluorescent Lime.

BJ238CH Sizes: M-X5

Class 3, 49" raincoat, Sturdy zipper front with large snap over flaps, Two front patch pockets, Adjustable / oversized attached hideaway drawstring hood, Standup collar for added protection,Adjustable hook and loop wrist closures, 2" Silver FR Reflective Stripes, Fluorescent Lime.



BJ238BP Sizes: M-X5

Class E, Easy release FR suspender straps, Fly Front, adjustable side snaps, Adjustable hook and loop ankle straps, Dual band 2" Silver FR Reflective Stripes Fluorescent Lime.



BJ238PW Sizes: M-X5

Class E, Rain pant with elastic waist, Adjustable hook and loop ankle straps, Fly Front, Dual band 2" Silver FR Reflective Stripes Fluorescent Lime.

For direct access to MCR Safety's PPE check out the following links: Direct Product Pages

Gloves	https://www.mcrsafety.com/safety-equipment/gloves
Glasses	https://www.mcrsafety.com/safety-equipment/glasses
Garments	https://www.mcrsafety.com/safety-equipment/garments
FR Clothing	https://www.mcrsafety.com/safety-equipment/fr-clothing
Welding Clothing	https://www.mcrsafety.com/garments/welding
Hi-Vis Clothing	https://www.mcrsafety.com/garments/hivis

Protection Pages

Cut	https://www.mcrsafety.com/cut-protection
Impact	https://www.mcrsafety.com/impact-protection
Anti-Fog	https://www.mcrsafety.com/glasses/technology/max6
Anti-Fog & Anti-Scratch	https://www.mcrsafety.com/glasses/technology/max36
Flame Resistant	https://www.mcrsafety.com/frc

