


TORQUE LIMITER SPROCKETS

*Maximum Protection
From Torque Overload*



PROVIDES VITAL MACHINERY WITH TOP-NOTCH SAFETY


Tsubaki's user-friendly, cost-effective Torque Limiter Sprockets come pre-assembled and provide maximum protection to critical equipment from torque overloading.



- Uses two composite friction disks compressed by disk springs against the ground face of the hardened tooth sprocket.
- Functions as an automatic safety device to prevent overload, providing reliable operations and adjustable functions.
- Automatically resetting.
- Torque setting easily set by tightening the adjusting nut.
- Available in various sizes and tooth counts.

AUTOMATIC RESET

When overload is removed, the unit will automatically reset.



PART-NUMBERING **60** **TTA** **30** - **50** - **2**



Size	Sprocket Pitch	Min Tooth Count	Max Tooth Count
25	40	20	32
	50	17	28
35	40	26	45
	50	21	36
	60	18	30
	80	15	21
50	50	29	50
	60	25	40
	80	19	30
70	60	33	54
	80	26	42
	100	21	35

Size	Spring Count		
	Spring Count	Min Torque Setting (lbs-ft)	Max Torque Setting (lbs-ft)
25	1	5	20
	2	10	40
35	1	15	55
	2	25	110
50	1	35	155
	2	65	310
70	1	86	420
	2	164	797

ADDITIONAL OPTIONS

PATENTED SMART TOOTH® WEAR INDICATOR SPROCKETS

TORQUE LIMITER COUPLINGS

HIGH TORQUE SETTING TORQUE LIMITERS

BALL DETENT STYLE SHOCK GUARDS

EXAMPLES OF COMMON PART NUMBERS

TTA 25	TTA 35	TTA 50	TTA 70
35TTA25-25-1	35TTA35-35-1	40TTA35-50-1	60TTA36-70-1
35TTA25-25-2	35TTA35-35-2	40TTA35-50-2	60TTA36-70-2
35TTA26-25-1	35TTA40-35-1	50TTA30-50-1	80TTA26-70-1
35TTA26-25-2	35TTA40-35-2	50TTA30-50-2	80TTA26-70-2
40TTA20-25-1	40TTA28-35-1	50TTA32-50-1	80TTA28-70-1
40TTA20-25-2	40TTA28-35-2	50TTA32-50-2	80TTA28-70-2
40TTA22-25-1	40TTA30-35-1	60TTA25-50-1	80TTA30-70-1
40TTA22-25-2	40TTA30-35-2	60TTA25-50-2	80TTA30-70-2
40TTA24-25-1	40TTA32-35-1	60TTA26-50-1	80TTA36-70-1
40TTA24-25-2	40TTA32-35-2	60TTA26-50-2	80TTA36-70-2
40TTA28-25-1	50TTA22-35-1	60TTA28-50-1	100TTA22-70-1
40TTA28-25-2	50TTA22-35-2	60TTA28-50-2	100TTA22-70-2
40TTA30-25-1	50TTA24-35-1	60TTA30-50-1	100TTA24-70-1
40TTA30-25-2	50TTA24-35-2	60TTA30-50-2	100TTA24-70-2
50TTA17-25-1	50TTA25-35-1	80TTA20-50-1	
50TTA17-25-2	50TTA25-35-2	80TTA20-50-2	
50TTA21-25-1	50TTA26-35-1	80TTA22-50-1	
50TTA21-25-2	50TTA26-35-2	80TTA22-50-2	
50TTA22-25-1	60TTA18-35-1	80TTA24-50-1	
50TTA22-25-2	60TTA18-35-2	80TTA24-50-2	
	60TTA20-35-1		
	60TTA20-35-2		



Corporate Headquarters

U.S. Tsubaki Power Transmission, LLC
 301 E. Marquardt Drive
 Wheeling, IL 60090
 Tel: (800) 323-7790
 www.ustsubaki.com



Roller Chain Division
 821 Main Street
 Holyoke, MA 01040
 Tel: (800) 323-7790



Conveyor and Construction
 Chain Division
 1010 Edgewater Drive
 Sandusky, OH 44870
 Tel: (800) 537-6140



Sprocket Manufacturing
 1630 Drew Road
 Mississauga, Ontario
 Tel: (800) 323-7790



Cable & Hose Carrier Division
 7100 W. Marcia Road
 Milwaukee, WI 53223
 Tel: (800) 443-4216

Note: In accordance with the policy of U.S. Tsubaki Power Transmission, LLC to consistently improve its products, the specifications in this brochure are subject to change without notice. The logos, brand names or product names in this brochure are trademarks or registered trademarks of Tsubakimoto Chain Co. and its subsidiaries in Japan, the U.S. and other countries.